

References

References

- ABS 2008, *National Survey of Mental Health and Wellbeing 2007*, ABS cat. no. 4326.0, available at <<http://www.abs.gov.au/AUSSTATS/abs@.nsf/mf/4326.0>>.
- AIHW & ABS 2008, *The health and welfare of Australia's Aboriginal and Torres Strait Islander peoples*, Australian Institute of Health and Welfare and Australian Bureau of Statistics, AIHW cat. no. 21, ABS cat. no. 4704.0, available at <www.aihw.gov.au/publications/index.cfm/title/10583>.
- AIHW 2005, *2004 National Drug Strategy Household Survey, First results*, AIHW cat. no. PHE57, Australian Institute of Health and Welfare, Canberra.
- AIHW 2007, *Statistics on Drug Use in Australia 2006*, Australian Institute of Health and Welfare, Canberra.
- AIHW 2008, *2007 National Drug Strategy Household Survey, First results*, Australian Institute of Health and Welfare, Canberra.
- American Psychiatric Association 2000, *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition, text revision (DSM-IV-TR) American Psychiatric Association, Washington, DC.
- Australian Government Department of Health and Ageing 2007, *Alcohol Treatment Guidelines for Indigenous Australians*, Department of Health and Ageing, Canberra, available at <<http://www.alcohol.gov.au/internet/alcohol/publishing.nsf/Content/AGI02>>.
- Babor, TF, Caetano, R, Casswell, S, Edwards, G, Giesbrecht, N, Graham, K, Grube, J, Gruenewald, P, Hill, L, Holder, H, Homel, R, Osterberg, E, Rehm, J, Room, R & Rossow, I 2005, *Alcohol: No Ordinary Commodity*, Research and Public Policy, Oxford University Press.
- Beck, A & Steer, R 1987a, *Beck Depression Inventory Manual*, The Psychological Corporation, Harcourt Brace Jovanovich Inc, San Antonio.
- Beck, A & Steer, R 1987b, *Beck Hopelessness Scale Manual*, The Psychological Corporation, Harcourt Brace Jovanovich Inc, San Antonio.
- Center for Substance Abuse Treatment 2005, *Substance abuse treatment for persons with co-occurring disorders*, Treatment Improvement Protocol (TIP) Series 42, DHHS publication no. SMA 05-3922, Substance Abuse and Mental Health Services Administration, Rockville MD.
- Chikritzhs, T, Catalano, P, Stockwell, T, Donath, S, Ngo, H, Young, D & Matthews, S 2003, *Australian Alcohol Indicators, 1990–2001: patterns of alcohol use and related harms for Australian States and Territories*, Perth and Melbourne, National Drug Research Institute, Curtin University of Technology and Turning Point Alcohol & Drug Centre.
- Cooney, A, Prude, EM, Lintzeris, N & Haber, PS 2008, 'The Management of Alcohol Problems Update: Needs Assessment Report', Drug Health Services, Sydney South West Area Health Service unpublished, available from Professor Haber at <phaber@mail.usyd.edu.au>.
- Degenhardt, L & Hall, W 2003, 'Patterns of co-morbidity between alcohol use and other substance use in the Australian population', *Drug and Alcohol Review*, vol. 22, no. 1, pp. 7–13.
- European Federation of Neurological Societies Taskforce 2005, *EFNS guideline on the diagnosis and management of alcohol-related seizures*, Report of the European Federation

of Neurological Societies Taskforce, available at <http://www.guideline.gov/summary/summary.aspx?doc_id=9648>.

Goldenring, J & Cohen, E 1988, 'Getting into Adolescent Heads', *Contemporary Paediatrics*, vol. 5, pp. 75–90.

Gossop, M, Keaney, F, Stewart, D, Marshall, E & Strang, JA 2002, 'Short Alcohol Withdrawal Scale (SAWS) development and psychometric properties', *Addiction Biology*, vol. 7, no. 1, pp. 37–43.

Hogan, E, Boffa, J, Rosewame, C, Bell, S, Chee, DA 2006, 'What price do we pay to prevent alcohol-related harms in Aboriginal communities? The Alice Springs trial of liquor licensing restrictions', *Drug and Alcohol Review*, vol. 25, no. 3, pp. 207–12.

Izzo, AA & Ernst, E 2001, 'Interactions between herbal medicines and prescribed drugs: a systematic review', *Drugs*, vol. 61, no. 15, pp. 2163–75.

Kessler, RC, Andrews, G, Colpe, LJ, Hiripi, E, Mroczek, DK, Norand, SLT, Walters, EE, Zaslavsky, AM 2002, 'Short screening scales to monitor population prevalences and trends in non-specific psychological distress', *Psychological Medicine*, vol. 32, issue 6, pp. 959–76.

Koski, A, Vuori, E & Ojanpera, I 2005, 'Newer antidepressants: evaluation of fatal toxicity index and interaction with alcohol based on Finnish postmortem data', *International Journal of Legal Medicine*, vol. 119, no. 6, pp. 344–48.

Latt, N, Conigrave, K, Saunders, JB, Marshall, EJ & Nutt, D 2008, *Addiction Medicine*, Oxford Specialist Handbooks, Oxford University Press.

Lewis, MJ 1992, *A Rum State: Alcohol and State Policy in Australia, 1788–1988*, Milton Lewis, AGPS Press, Canberra.

Lingford-Hughes, AR, Welch, S & Nutt, DJ 2004, 'Evidence-based guidelines for the pharmacological management of substance misuse, addiction and comorbidity: recommendations from the British Association for Psychopharmacology', *Journal of Psychopharmacology*, vol. 18, no. 3, pp. 293–335.

Livingston, M, Chikritzhs, T & Room, R 2007, 'Changing the density of alcohol outlets to reduce alcohol-related problems', *Drug and Alcohol Review*, vol. 26, no. 5, pp. 557–66.

Lovibond, S & Lovibond, P 1993, *Manual for the Depression Anxiety Stress Scales*, University of New South Wales, Sydney.

Loxley, W, Toumbourou, J, Stockwell, T, Haines, B, Scott, K, Godfrey, C, Waters, E, Patton, G, Fordham, RJ, Gray, D, Marshall, J, Ryder, D, Siggers, S, Williams, J & Sanci, L 2004, *The prevention of substance use, risk and harm in Australia: a review of the evidence*, Australian Government Department of Health and Ageing, Canberra.

Mattick, R & Jarvis, T 1993, *An outline for the management of alcohol problems: Quality assurance in the treatment of drug dependence project*, Monograph no. 20, National Drug Strategy, Australian Government Publishing Service, Canberra.

Ministerial Council on Drug Strategy 2006, *National Alcohol Strategy 2006–09, Towards Safer Drinking Cultures*, Australian Government Department of Health and Ageing, available at <www.alcohol.gov.au/internet/alcohol/publishing.nsf/Content/nas-06-09>.

National Institute on Alcohol Abuse and Alcoholism 1995, 'Alcohol–medication interactions', *Alcohol Alert*, No. 27 PH 355, NIAAA, available at <<http://pubs.niaaa.nih.gov/publications/aa27.htm>>.

NHMRC 2000, *How to review the evidence: assessment and application of scientific evidence*, National Health and Medical Research Council, Canberra.

NHMRC 2001, *Australian Alcohol Guidelines: Health Risks and Benefits*, National Health and Medical Research Council, Canberra.

NHMRC 2009, *Australian Guidelines to reduce health risks from drinking alcohol*, National Health & Medical Research Council, Canberra.

NSW Health & SA Health 2006, *National clinical guidelines for the management of drug use during pregnancy, birth and the early development years of the newborn*, commissioned by the Ministerial Council on Drug Strategy under the Cost Shared Funding Model, New South Wales Department of Health, available at <www.health.nsw.gov.au/pubs/2006/ncg_druguse.html>.

NSW Health Department 1999, *New South Wales Detoxification Clinical Practice Guidelines*, NSW Health Department, ISBN 0 7347 3034.

Pringle, KE, Ahem, FM, Heller, DA, Gold, CH & Brown, TV 2005, 'Potential for alcohol and prescription drug interactions in older people', *Journal of the American Geriatrics Society*, vol. 53, no. 11, pp. 1930–36.

Project MATCH Research Group 1993, 'Project MATCH: Rationale and methods for a multisite clinical trial, matching patients to alcoholism treatment', *Alcoholism: Clinical and Experimental Research*, vol. 17, pp. 1130–45, available at <www.commed.uchc.edu/match/>.

Proude, EM, Lopatko, O, Lintzeris N, Haber, P 2009, *Guidelines for the Treatment of Alcohol Problems: A Review of the Evidence*, Commonwealth of Australia, Canberra.

RACP & RANZCP 2005, *Alcohol policy: using evidence for better outcomes*, Royal Australian College of Physicians & Royal Australian and New Zealand College of Psychiatrists, Sydney.

Ritter, A & Cameron, J 2006, 'A review of the efficacy and effectiveness of harm reduction strategies for alcohol, tobacco and illicit drugs', *Drug and Alcohol Review*, vol. 25, no. 6, pp. 611–24.

Shand, F, Gates, J, Fawcett, J & Mattick, R 2003a, *Guidelines for the Treatment of Alcohol Problems*, Commonwealth of Australia, Canberra.

Shand, F, Gates, J, Fawcett, J & Mattick, R 2003b, *Guidelines for the Treatment of Alcohol Problems: A Review of the Evidence*, Commonwealth of Australia, Canberra.

Shekelle, PG, Woolf, SH, Eccles, M & Grimshaw, J 1999, 'Clinical guidelines: developing guidelines', *British Medical Journal*, vol. 318, no. 7183, pp. 593–96.

Sobell, MB & Sobell, LC 2000, 'Stepped care as a heuristic approach to the treatment of alcohol problems', *Journal of Consulting and Clinical Psychology*, vol. 68, no. 4, pp. 573–79.

Spielberger, C, Gorusch, R, Lushene, R, Vagg, P & Jacobs, G 1983, *Manual for the State-Trait Anxiety Inventory (Form Y)*, Consulting Psychologist Press Inc. Palo Alto.

Guidelines for the Treatment of Alcohol Problems

Sullivan, JT, Sykora, K, Schneiderman, J, Naranjo, CA & Sellers, EM 1989, 'Assessment of alcohol withdrawal: The revised Clinical Institute Withdrawal Assessment for Alcohol Scale (CIWA-Ar)', *British Journal of Addiction*, vol. 84, no. 11, pp. 1353–57.

UKATT Research Team 2005, 'Cost-effectiveness of treatment for alcohol problems: findings of the randomized UK alcohol treatment trial (UKATT)', *British Medical Journal*, vol. 331, no. 7516, p. 544, available at <www.bmj.com/cgi/reprint/331/7516/544.pdf>.

Ware, J, Kosinski, M & Keller, S 1996, 'A 12-item Short Form Health Survey: construction of scales and preliminary tests of reliability and validity', *Medical Care*, vol. 34, pp. 220–33.

Weathermon, R & Crabb, DW 1999, 'Alcohol and medication interactions', *Alcohol Research and Health*, vol. 23, no. 1, pp. 40–54.

White, V & Hayman, J 2004, *Australian secondary school students' use of alcohol in 2002*, National Drug Strategy Monograph 55, Australian Government Department of Health and Ageing, Canberra.

WHO 2007, *WHO Expert Committee on Problems Related to Alcohol Consumption*, second report, World Health Organization, technical report series, no. 944, available at <http://www.who.int/substance_abuse/expert_committee_alcohol/en/index.html>.